Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/31/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product name : AB DETERGENT 3000

Product code : 610-210

1.2. Relevant identified uses of the substance or mixture and uses advised against

: Dish detergent for Automatic dishwash machines Use of the substance/mixture

Use of the substance/mixture : Cleansing product

1.3. Details of the supplier of the safety data sheet

All-Brite Sales 2204 Haines St Jacksonville, FL 32206

Emergency telephone number

Emergency number : 800-535-5053 InfoTrac

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral) H302 Skin Corr. 1A H314

Full text of H-phrases: see section 16

Label elements 2.2.

GHS-US labelling

Hazard pictograms (GHS-US)





GHS05

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P260 - Do not breathe mist, spray

P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear gloves and protective eyewear

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a physician

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS-US)

Not applicable

02/16/2015 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
potassium hydroxide, 45%= <conc<50%, aqueous="" solutions<="" td=""><td>(CAS No) 1310-58-3</td><td>10 - 15</td><td>Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Aquatic Acute 3, H402</td></conc<50%,>	(CAS No) 1310-58-3	10 - 15	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Aquatic Acute 3, H402
disodium metasilicate	(CAS No) 6834-92-0	1 - 5	Skin Corr. 1A, H314

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Irritation of the nasal mucous membranes.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : EXTINGUISHING MEDIA FOR SURROUNDING FIRES:

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Reactivity : No data available.

5.3. Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Protective gloves. Safety glasses.

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Liquid spill: neutralize. Carefully collect the spill/leftovers.

6.4. Reference to other sections

No additional information available

02/16/2015 EN (English) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible products : Strong acids.

Maximum storage period : >= 3 year

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

AB DETERGENT 3000			
ACGIH	Not applicable		
OSHA	Not applicable		
potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>			
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³	
OSHA Not applicable			

disodium metasilicate (6834-92-0)

disodium metasincate (6634-92-0)		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls

Melting point

Personal protective equipment : Gloves. Safety glasses.



: No data available



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Freezing point : > 0 °C Boiling point : < 100 °C

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Specific gravity : 1.3

Solubility : Water: Solubility in water of component(s) of the mixture :

• potassium hydroxide, 45%=<conc<50%, aqueous solutions: Complete • tetrapotassium pyrophosphate, anhydrous: 187 g/100ml • disodium metasilicate: > 18 g/100ml •

pentasodium triphosphate: 15 g/100ml

Log Pow : No data available

02/16/2015 EN (English) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Kow : No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available Explosive properties : No data available Oxidising properties No data available : No data available Explosive limits

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

Chemical stability 10.2.

Stable under normal conditions.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

No additional information available

10.5. Incompatible materials

Acids.

10.6. **Hazardous decomposition products**

None known.

SECTION 11: Toxicological information

Information on toxicological effects

: Oral: Harmful if swallowed. Acute toxicity

AB DETERGENT 3000		
ATE US (oral)	1820.000 mg/kg bodyweight	
potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
LD50 oral rat	273 mg/kg (Rat)	
ATE US (oral)	273 000 mg/kg hodyweight	

disodium metasilicate (6834-92-0)

LD50 dermal rat	> 5000 mg/kg bodyweight (Rat; Read-across; OECD 402: Acute Dermal Toxicity)

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 13 - 13.5

Serious eye damage/irritation : Not classified

pH: 13 - 13.5

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified : Not classified Reproductive toxicity Specific target organ toxicity (single exposure) Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation Irritation of the nasal mucous membranes. Symptoms/injuries after skin contact Caustic burns/corrosion of the skin. Symptoms/injuries after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

Toxicity

02/16/2015 EN (English) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
LC50 fishes 1	28.6 mg/l (24 h; Pisces; Pure substance)	
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)	
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)	
Threshold limit other aquatic organisms 1	100 - 1000,96 h	
disodium metasilicate (6834-92-0)		
LC50 fishes 1	210 mg/l (96 h; Brachydanio rerio)	
EC50 Daphnia 1	216 mg/l (96 h; Daphnia magna; GLP)	
LC50 fish 2	2320 mg/l (96 h; Gambusia affinis)	
EC50 Daphnia 2	632 mg/l (96 h; Lymnaea sp.)	
Threshold limit algae 1	207 mg/l (72 h; Scenedesmus subspicatus; GLP)	

12.2. Persistence and degradability

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
disodium metasilicate (6834-92-0)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

12.3. Bioaccumulative potential

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>	
Bioaccumulative potential	Not bioaccumulative.
disodium metasilicate (6834-92-0)	
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1814 Potassium hydroxide, solution, 8, III

UN-No.(DOT) : UN1814

Proper Shipping Name (DOT) : Potassium hydroxide, solution

Department of Transportation (DOT) Hazard : 8 - Class 8 - Corrosive material 49 CFR 173.136

Classes

02/16/2015 EN (English) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during

filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : 1814

Proper Shipping Name (IMDG) : POTASSIUM HYDROXIDE SOLUTION

Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : III - substances presenting low danger

Air transport

UN-No.(IATA) : 1814

Proper Shipping Name (IATA) : POTASSIUM HYDROXIDE SOLUTION

Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

02/16/2015 EN (English) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H402	Harmful to aquatic life


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard
Physical : 1 Slight Hazard

Personal Protection : B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/16/2015 EN (English) 7/7