

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/31/2014

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : AB RINSE NO MORE STRIPPER
Product code : 360-401

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : ACRYLIC FLOOR WAX STRIPPER

1.3. Details of the supplier of the safety data sheet

All-Brite Sales
2204 Haines St
Jacksonville, FL 32206

1.4. Emergency telephone number

Emergency number : 800-535-5053
InfoTrac

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 4 H227
Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Skin Irrit. 2 H315
Eye Dam. 1 H318

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

GHS07

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H227 - Combustible liquid
H302+H312 - Harmful if swallowed or in contact with skin
H315 - Causes skin irritation
H318 - Causes serious eye damage

Precautionary statements (GHS-US) :

P210 - Keep away from open flames. - No smoking
P270 - Do not eat, drink or smoke when using this product
P280 - Wear gloves and protective eyewear
P301+P312 - If swallowed: Call a doctor if you feel unwell
P302+P352 - If on skin: Wash with plenty of water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P330 - Rinse mouth
P332+P313 - If skin irritation occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P370+P378 - In case of fire: Use carbon dioxide (CO₂), dry extinguishing powder to extinguish
P403+P235 - Store in a well-ventilated place. Keep cool
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3. Other hazards

No additional information available

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|-----------------------|--------------------|---------|---|
| 2-butoxyethanol | (CAS No) 111-76-2 | 25 - 35 | Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| disodium metasilicate | (CAS No) 6834-92-0 | 1 - 5 | Skin Corr. 1A, H314 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Consult an ophthalmologist if irritation persists.
- First-aid measures after ingestion : Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Irritation of the nasal mucous membranes. Irritation of the eye tissue.
- Symptoms/injuries after inhalation : Irritation of the respiratory tract.
- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : EXTINGUISHING MEDIA FOR SURROUNDING FIRES:
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not flammable.
- Explosion hazard : No direct explosion hazard.
- Reactivity : May be corrosive to metals.

5.3. Advice for firefighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Safety glasses.
- Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

- Protective equipment : Protective gloves. Safety glasses.

6.2. Environmental precautions

No additional information available

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Maximum storage period : < 2 year

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

AB RINSE NO MORE STRIPPER

| | |
|-------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

2-butoxyethanol (111-76-2)

| | |
|------|----------------|
| OSHA | Not applicable |
|------|----------------|

disodium metasilicate (6834-92-0)

| | |
|-------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colourless to yellow
Odor : Characteristic odour
Odor threshold : No data available
pH : 13 - 14
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : < 0 °C
Boiling point : < 100 °C
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Specific gravity : 0.974

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|----------------------|--|
| Solubility | : Soluble in water. Water: Solubility in water of component(s) of the mixture : •: •: > 18 g/100ml •: 0.05 g/100ml |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

| AB RINSE NO MORE STRIPPER | |
|-----------------------------------|--|
| ATE US (oral) | 1514.286 mg/kg body weight |
| ATE US (dermal) | 1242.857 mg/kg body weight |
| 2-butoxyethanol (111-76-2) | |
| LD50 oral rat | 530 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 1746 mg/kg bodyweight; Rat; Experimental value) |
| LD50 dermal rat | > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) |
| LD50 dermal rabbit | 435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402) |
| LC50 inhalation rat (mg/l) | 2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value) |
| LC50 inhalation rat (ppm) | 450-486,Rat; Weight of evidence |
| ATE US (oral) | 530.000 mg/kg body weight |
| ATE US (dermal) | 435.000 mg/kg body weight |
| ATE US (vapors) | 2.170 mg/l/4h |
| ATE US (dust, mist) | 2.170 mg/l/4h |
| disodium metasilicate (6834-92-0) | |
| LD50 dermal rat | > 5000 mg/kg body weight (Rat; Read-across; OECD 402: Acute Dermal Toxicity) |
| Skin corrosion/irritation | : Causes skin irritation. pH: 13 - 14 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 13 - 14 |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-butoxyethanol (111-76-2)

Carcinogenicity : Not classified

2-butoxyethanol (111-76-2)

IARC group : 3 - Not classifiable

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Irritation of the respiratory tract.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Toxic if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol (111-76-2)

LC50 fish 1 : 116 ppm (96 h; *Cyprinodon variegatus*; Nominal concentration)

EC50 Daphnia 1 : 1700 mg/l (48 h; *Daphnia* sp.; Nominal concentration)

LC50 fish 2 : 1341 ppm (96 h; *Lepomis macrochirus*)

EC50 Daphnia 2 : 1720 mg/l (24 h; *Daphnia magna*)

TLM fish 1 : 100 - 1000,96 h; Pisces

TLM other aquatic organisms 1 : 100 - 1000,96 h

Threshold limit algae 1 : 900 mg/l (168 h; *Scenedesmus quadricauda*)

Threshold limit algae 2 : 35 mg/l (192 h; *Microcystis aeruginosa*)

disodium metasilicate (6834-92-0)

LC50 fish 1 : 210 mg/l (96 h; *Brachydanio rerio*)

EC50 Daphnia 1 : 216 mg/l (96 h; *Daphnia magna*; GLP)

LC50 fish 2 : 2320 mg/l (96 h; *Gambusia affinis*)

EC50 Daphnia 2 : 632 mg/l (96 h; *Lymnaea* sp.)

Threshold limit algae 1 : 207 mg/l (72 h; *Scenedesmus subspicatus*; GLP)

12.2. Persistence and degradability

2-butoxyethanol (111-76-2)

Persistence and degradability : Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.

Biochemical oxygen demand (BOD) : 0.71 g O₂/g substance

Chemical oxygen demand (COD) : 2.20 g O₂/g substance

ThOD : 2.305 g O₂/g substance

BOD (% of ThOD) : 0.31 % ThOD

disodium metasilicate (6834-92-0)

Persistence and degradability : Biodegradability: not applicable. No (test)data on mobility of the substance available.

Biochemical oxygen demand (BOD) : Not applicable

Chemical oxygen demand (COD) : Not applicable

ThOD : Not applicable

BOD (% of ThOD) : Not applicable

12.3. Bioaccumulative potential

2-butoxyethanol (111-76-2)

Log Pow : 0.81 (Experimental value; BASF test; 25 °C)

Bioaccumulative potential : Low potential for bioaccumulation (Log Kow < 4).

disodium metasilicate (6834-92-0)

Bioaccumulative potential : Bioaccumulation: not applicable.

12.4. Mobility in soil

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-butoxyethanol (111-76-2)

Surface tension : 0.027 N/m (25 °C)

12.5. Other adverse effects

Effect on ozone layer :
Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN2491 Ethanolamine solutions, 8, III
UN-No.(DOT) : UN2491
Proper Shipping Name (DOT) : Ethanolamine solutions
Department of Transportation (DOT) Hazard Classes : 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger
DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : 2491
Proper Shipping Name (IMDG) : ETHANOLAMINE SOLUTION
Class (IMDG) : 8 - Corrosive substances
Packing group (IMDG) : III - substances presenting low danger

Air transport

UN-No.(IATA) : 2491

AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IATA) : ETHANOLAMINE SOLUTION
Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

2-butoxyethanol (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

2-butoxyethanol (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

| | |
|----------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
| Acute Tox. 3 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H311 | Toxic in contact with skin |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |

NFPA health hazard


: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard

: 1 - Must be preheated before ignition can occur.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



AB RINSE NO MORE STRIPPER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

| | |
|---------------------|--|
| Health | : 1 Slight Hazard - Irritation or minor reversible injury possible |
| Flammability | : 0 Minimal Hazard |
| Physical | : 0 Minimal Hazard |
| Personal Protection | : B |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product